

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	759	agc.clm.	US-PGPUB	OR	OFF	2007/05/10 14:47
L2	1018	"automatic gain control".clm.	US-PGPUB	OR	OFF	2007/05/10 14:47
L3	50589	variable.clm.	US-PGPUB	OR	OFF	2007/05/10 14:48
L4	376419	step.clm.	US-PGPUB	OR	OFF	2007/05/10 14:48
L5	1412	1 or 2	US-PGPUB	OR	OFF	2007/05/10 14:48
L6	14	3 same 4 same 5	US-PGPUB	OR	OFF	2007/05/10 14:51
L7	54797	speed.clm.	US-PGPUB	OR	OFF	2007/05/10 14:51
L8	40597	vary\$.clm.	US-PGPUB	OR	OFF	2007/05/10 14:51
L9	17993	gain.clm.	US-PGPUB	OR	OFF	2007/05/10 14:51
L10	11	7 with 8 with 9	US-PGPUB	OR	OFF	2007/05/10 14:51
L11	0	5 and 10	US-PGPUB	OR	OFF	2007/05/10 14:51

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1033	375/345.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:28
L2	1299939	variable	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:28
L3	2772047	step	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:28
L4	534429	gain	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:28
L5	1544	2 with 3 with 4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:28
L6	47	1 and 5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:28
L7	20893000	@ad<"20010516"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:29
L8	22	6 and 7	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:32

EAST Search History

L9	2693112	speed	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:32
L10	22529	4 with 9	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:33
L11	97	1 and 10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:33
L12	54	7 and 11	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:33
L13	9228	4 near3 9	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:33
L14	55131	agc	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:33
L15	55569	1 or 14	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:33
L16	528	13 and 15	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:33

EAST Search History

L17	331	7 and 16	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:34
L18	1950422	vary\$	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:34
L19	48218	9 near3 18	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:35
L20	142	13 same 19	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:35
L21	6	15 and 20	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:35
L22	4	1 and 19	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:36
L23	1152	4 with 9 same 18	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:37
L24	9	1 and 23	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:37

EAST Search History

L25	7	7 and 24	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:38
L26	1571	455/232.1,234.1,240.1,245.1.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:41
L27	8	19 and 26	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:42
L28	3021	"variable step"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:42
L29	2336	1 or 26	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:42
L30	8	28 and 29	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:42
L31	3	7 and 30	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/10 14:43



Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(((('automatic gain control' <or>agc) <and> variable <and> step)<in>metadat..."



Your search matched 7 of 1566306 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search


☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

[view selected items](#)
[Select All](#) [Deselect All](#)

- ☐ 1. **Analog AGC Circuitry for a CMOS WLAN Receiver**
 Jeon, O.; Fox, R.M.; Myers, B.A.;
Solid-State Circuits, IEEE Journal of
 Volume 41, Issue 10, Oct. 2006 Page(s):2291 - 2300
 Digital Object Identifier 10.1109/JSSC.2006.881548
AbstractPlus | Full Text: [PDF\(1488 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ 2. **A VLSI design of dual-loop automatic gain control for dual-mode QAM/VS**
 Muh-Tian Shiue; Kuang-Hu Huang; Cheng-Chang Lu; Chong-Kuang Wang; V
Circuits and Systems, 1998. ISCAS '98. Proceedings of the 1998 IEEE Interna
on
 Volume 6, 31 May-3 June 1998 Page(s):490 - 493 vol.6
 Digital Object Identifier 10.1109/ISCAS.1998.705318
AbstractPlus | Full Text: [PDF\(360 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ 3. **A temperature compensated L-band variable gain amplifier with eight bit**
 Wallace, P.W.; Bayruns, J.; Scheinberg, N.; Rachlin, M.; Krautter, H.;
Gallium Arsenide Integrated Circuit (GaAs IC) Symposium, 1988. Technical Di
Annual IEEE
 6-9 Nov. 1988 Page(s):281 - 284
 Digital Object Identifier 10.1109/GAAS.1988.11076
AbstractPlus | Full Text: [PDF\(264 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ 4. **An adaptive gain control with a variable step size for use in high-speed d**
communication systems
 Fertner, A.; Solve, C.;
Circuits and Systems II: Analog and Digital Signal Processing, IEEE Transacti
Circuits and Systems II: Express Briefs, IEEE Transactions on
 Volume 44, Issue 11, Nov. 1997 Page(s):962 - 966
 Digital Object Identifier 10.1109/82.644051
AbstractPlus | [References](#) | Full Text: [PDF\(160 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ 5. **A novel technique to improve amplitude imbalance in mixers**
 Dong Feng; Bingxue Shi;

Solid-State and Integrated Circuits Technology, 2004. Proceedings. 7th International Conference on

Volume 2, 18-21 Oct. 2004 Page(s):1303 - 1306 vol.2

Digital Object Identifier 10.1109/ICSICT.2004.1436790

AbstractPlus | Full Text: [PDF\(184 KB\)](#) IEEE CNF

[Rights and Permissions](#)



6. A BiCMOS digitally-controlled variable gain wideband amplifier

Bales, J.;

Bipolar/BiCMOS Circuits and Technology Meeting, 1997. Proceedings of the 28-30 Sept. 1997 Page(s):84 - 87

Digital Object Identifier 10.1109/BIPOL.1997.647362

AbstractPlus | Full Text: [PDF\(296 KB\)](#) IEEE CNF

[Rights and Permissions](#)



7. Digitally programmable decibel-linear CMOS VGA for low-power mixed-si applications

Elwan, H.O.; Ismail, M.;

Circuits and Systems II: Analog and Digital Signal Processing, IEEE Transactions on Circuits and Systems II: Express Briefs, IEEE Transactions on

Volume 47, Issue 5, May 2000 Page(s):388 - 398

Digital Object Identifier 10.1109/82.842107

AbstractPlus | [References](#) | Full Text: [PDF\(264 KB\)](#) IEEE JNL

[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2006 IEEE -

Indexed by
 Inspec